Amendment to the Specification:

Please replace the paragraph on page 14, line 16 to page 15, line 29 with the following amended paragraph:

Compounds capable of free radical polymerization which may be used in the polymerizable compositions of the invention include any monomers, oligomers, polymers or mixtures thereof which contain olefinic unsaturation which can polymerize by free radical polymerization. Such compounds are well known to those skilled in the art. Mottus, US Patent Number 3,275,611, provides a description of such compounds at column 2, line 46 to column 4, line 16, incorporated herein by reference. Among preferred classes of compounds containing olefinic unsaturation are monomers, oligomers, polymers and mixtures thereof derived from the acrylates and methacrylates; olefinically unsaturated hydrocarbons, for example ethylene, propylene, butylene, isobutylene, 1-octene, 1-dodecene, 1-heptadecene, 1-eicosene and the like; vinyl compounds such as styrene, vinyl pyridine, 5-methyl-2-vinylpyridine, vinyl napthylene, alpha methylstyrene; vinyl and vinylidiene halides; acrylonitrile and methacrylonitrile; vinyl acetate and vinyl propionate; vinyl oxyethanol; vinyl trimethylacetate; vinyl hexonate; vinyl laurate; vinyl chloroacetate; vinyl stearate; methyl vinyl ketone; vinyl isobutyl ether; vinyl ethyl ether; compounds that have a plurality of ethylenic bonds such as those having conjugated double bonds such as butadiene, 2-chlorobutadiene, isoprene; and the like. Examples of preferable acrylates and methacrylates are disclosed in Skoultchi, US Patent Number 5,286,821 at column 3, lines 50 to column 6, line 12, incorporated herein by reference and Pocius, US Patent Number 5,681,910 at column 9, line 28 to column 12, line 25, incorporated herein by reference. More preferred olefinic compounds include methyl acrylate, methylmethacrylate, butylmethacrylate, tert-butylmethacrylate, 2-ethylhexyacrylate, 2-ethylhexylmethacrylate, ethylacrylate, isobornylmethacrylate, isobornylacrylate, hydroxyethylmethacrylate, glycidylmethacrylate, tetrahydrofurfuryl methacrylate, acrylamide, n-methylacrylamide, and other similar acrylate containing monomers. Also useful are the class of acrylate tipped polyurethane prepolymers available commercially from several sources, and prepared by reacting an isocyanate reactive acrylate monomer, oligomer or polymer, such as a hydroxy acrylate, with an isocyanate functional prepolymer. Also useful in these compositions are acrylate crosslinkinking molecules including ethylene glycol dimethacrylate, ethylene glycol diacrylate, triethyleneglycol dimethacrylate, diethylene glycol bismethacryloxy carbonate, polyethylene glycol diacrylate, tetraethylene glycol dimethacrylate, diglycerol diacrylate, diethylene glycol dimethacrylate, pentaerythritol triacrylate, trimethylolpropane trimethacrylate, isobornylmethacrylate and tetrahydrofurfuryl methacrylate.

PAGE 5/11 * RCVD AT 2/24/2004 12:54:06 PM [Eastern Standard Time] * SVR:USPTO-EFXRF-1/0 * DNIS:8729306 * CSID:2483916550 * DURATION (mm-ss):03-24